



Direct Digital UV Imaging for Deep-Draw Thermoforming

White Paper Series

A horizontal decorative bar at the bottom of the page, featuring a gradient of blue colors with a subtle, abstract pattern.

Direct Digital UV Imaging for Deep-Draw Thermoforming

Table of Contents

1. Introduction	3
2. Bringing Digital Printing to Thermoforming	4
3. The Key to Short-Run, On-Demand Signage	6
4. Creating New Market Opportunities	7

1. Introduction

When it comes to commercial development of decorated industrial and consumer products, the thermoforming market faces significant limitations in process efficiencies. As is the case so often today, decorating thermoformed plastic is accomplished primarily through post-forming decoration with decals, self-adhesive labels, air-brushing, etc. This approach is not only costly from a labour and waste perspective, but often also implies the use of custom pre-pigmented sheeting stock and the inventory management challenges that accompany it. Pre-forming decoration (applying graphics to sheets before forming) removes the time-consuming, manual steps required in traditional decoration processes.

More technically savvy formers have implemented pre-forming decoration using analogue screen printing inks, but that still has significant limitations. Now, with new advancements in ink chemistry, superwide-format digital inkjet printers can offer the image quality and timesaving benefits of pre-forming decoration while eliminating the full-colour imaging challenges that analogue screen-printing presents.

Pre-forming decoration using screen printing has rightfully found a place in the thermoforming market because, compared to post-forming decoration, it can certainly save time, labour and effort. But compared to other printing process, screen-printing can still be time-consuming and costly, and it can be very wasteful. Screen-printing requires an extended make-ready process, where sheets of expensive substrates, such as ABS, are printed as waste just to get inks to stable levels for saleable product. The more ink colours a decoration requires, the longer the make-ready process.

One typical example is a pre-forming decoration process recently observed at a thermoforming facility. The company had at least € 5,000 invested in this six-colour, 60x120cm thermoformed screen print job before a usable print came off the company's screen print device. Not only were there numerous sheets of make-ready waste, the company had a small crew of staff members spend a total of approximately 60 hours doing prep labour.

Screen printing jobs of this nature typically do not become profitable to produce until the upfront prep costs are amortised across a large quantity order, perhaps 500 or more pieces. Make-ready waste, which is often 10% or more of the entire number of sheets printed, figures into this calculation as well. Thermoforming materials are not cheap compared to other substrates used for printing, and the higher the cost, the higher the run length needed to preserve profitability.

Screen-printing's large, up-front investment cost (especially with multicolour work) makes digital printing an attractive option. On the six-colour printing project mentioned above, for example, prep time could take as little as one to two man-hours using a digital inkjet printer. There is also little to no make-ready waste with inkjet pre-forming decoration, as the printers do not need to run a large number of sheets before the inks and colours are stable.

On some larger, more-expensive thermoforming projects, such as the cartop carrier shown here, the costs associated with make-ready waste in full-colour screen printing would be difficult, if not impossible, to absorb. In cases like these, digital may be the only decoration option outside of manual methods.

2. Bringing Digital Printing to Thermoforming

Inkjet printer manufacturers have talked about this type of advantage with screen printing firms for years, but mostly in relation to two-dimensional signage applications. Inkjet inks historically could not handle the heat and stress of the forming process.

Recent developments in inkjet ink chemistry have yielded the first stable, high-quality inkjet inks that can withstand thermoforming. Recently, EFI introduced its EFI VUTEK® GS-TF UV-curable ink that withstands the thermoforming processes. It is a high-elongation ink that enables deep-draw thermoforming with excellent adhesion and superb retention of hue and opacity. The VUTEK GS-TF ink is designed to stretch as much as the plastic on which it is printed, and can easily be implemented even in instances where the ink touches the mold.

Thermoformers, signage and printing companies, and industrial manufacturers can use the ink to print directly onto thermoplastic sheet or roll materials, which can then be formed into parts. The ink, which comes in an eight-colour process imaging set plus white ink, runs in newly launched EFI VUTEK GS3250 Pro-TF printer, which is a special version of EFI's VUTEK GS Pro series printers optimised for thermoforming work.

UV-curable inks are already a popular choice in imaging applications because they are durable, adhere to a wide range of substrates, and are cured with UV lamps; therefore, requiring no drying time. With the VUTEK GS-TF ink, an initial cure from UV lamps installed on the printer changes the properties of the liquid ink film so it acts like a thermoplastic. At that point, it exhibits a glass-transition temperature in the range of all common thermoplastic materials and will stretch without smearing or swirling.

While the adhesion of the ink is high after the initial cure, it remains somewhat softer than traditional, UV-curable inks used in other inkjet printing applications. However, as the printed part proceeds through the thermoforming process, the heat of thermoforming changes the ink so it has a hard, glossy surface with excellent adhesion and scratch resistance.

As a result of the changes made for this newly developed formulation, VUTEK GS-TF inks withstand heat forming, cutting and routing without cracking, chipping or losing adhesion, with moisture resistance and a durable life resulting in long-lasting graphics. The new printers and inks provide excellent imaging at a 600 dpi resolution, or a 1,000 dpi resolution for even higher-end graphics. Additionally, the use of a high-performance enhancement coating helps protect decorated parts in more robust applications where greater abrasion resistance, fade resistance and chemical resistance are needed. These enhancement coatings can be screen printed, roll coated and sprayed. They are also available in UV, water-based and solvent-based formulations.

EFI VUTEk GS-TF thermoforming ink's elongation capabilities are enhanced by its high opacity on a broad selection of materials, including PETG, acrylics, polycarbonates, polystyrenes and ABS, plus derivatives and mixes. This makes it ideal for applications including outdoor electrical signage, point-of-purchase displays, backlit vending/gaming panels, automotive/RV recreational parts, consumer products, packaging and industrial product decoration.

The ink is used successfully in applications with 60 cm of draw, greater than 1,000% elongation, extremely high aspect ratios (<50:1), and very tight radii of curvature. The cartop carrier shown is one of the first pre-forming decorated parts made with the ink, and it is printed on 3 mm thick ABS, has more than 33 cm depth of draw with 30:1 aspect ratio in certain areas.

Other examples of pre-forming decorated objects produced with the ink to date include a miniature version of the same cartop carrier part on various substrates, including 3 mm thick ABS or Styrene with the image printed on the top surface, as well as 3 mm thick PETG, acrylic and polycarbonate, with the image printed on the bottom surface where the ink comes in direct contact with the mold. Those sample jobs had 33:1 aspect ratios and 80 mm radii of curvature.

Another sample produced with the ink incorporated drape-forming on parts made of 152 mm styrene; showing excellent retention of hue and opacity at extreme percentages of elongation, greater than 1,000%.

Test users decorated bath enclosures and produced cowlings, shields, bumpers and deflectors for cars, trucks, all-terrain vehicles, boats, snowmobiles and trailers using the ink. There are many, many additional applications in development as thermoformers look to address unmet product decoration needs.

3. The Key to Short-Run, On-Demand Signage

For thermoformers, signage companies and other industrial manufacturers, the advent of a thermoformable inkjet ink presents financial advantages in colour and response time. As mentioned earlier, pre-forming decoration eliminates many time-consuming methods, including hand air-brushing, a process that prohibits full-colour imaging and requires time-consuming masking steps. Inkjet technology makes pre-forming decoration a possibility for markets that have low-quantity requirements or specific customisation and just-in-time fulfillment needs.

In today's signage market, many thermoformed signs—such as fast food or service station monument signs—use simpler, one or two-colour logos because of the prohibitive cost of multiple- or process-colour decoration. This happens despite a great deal of evidence that full-colour imaging drives higher revenue and response across nearly any form of advertising.

The thermoformed signage market, as compared to most other forms of printing, is a low-volume market; orders might be for a single sign or for very small batches produced on demand. A small, independent hotel, for example, might require a single, branded thermoformed backlit panel with its name and logo for an entry sign or a vending machine in its lobby.

In these types of circumstances, analogue printing of thermoformed graphics is unprofitable and unaffordable for signage providers. Companies that go the digital print route for pre-decoration can economically offer run sizes of one.

Beyond that, companies that want to reduce their up-front costs can move to pre-forming inkjet decoration to reduce the number of manufactured parts or signs they keep in inventory. Everybody in the supply chain can therefore manage toward Just-In-Time inventory control, whether they need one copy this week or 100.

4. Creating New Market Opportunities

Initial reaction to the ink, which has been shown at sign industry trade shows in Europe and the U.S., reflect the momentum possible to develop new markets in thermoformed graphics.

According to Barney Cox, a print industry consultant who saw the ink at the FESPA 2013 trade show in London, “EFI’s introduction of thermoformable UV-curable inks, and the machines in which to use them, offers printers new opportunities for bringing digital printing’s strengths to a broad range of innovative applications. This means that printers can offer customers high-impact, short-run, versioned and customised imagery that has an added dimension, appealing to the increased desire for personalised products.”

Businesses that use thermoformed parts but currently avoid product decoration altogether can also consider decoration as part of a personalisation, branding or advertising strategy. Recently, a manufacturer of hunting blinds, decoys, calving huts and portable structures saw a new opportunity in its low-volume business, using pre-forming inkjet decoration to create structures that can feature a dairy farm’s logo, trademark, brandname or some other decoration.

This is one of the more promising scenarios, as it shows how the ink can not only replace costlier options, but also grow the decoration market.

Advancements in thermoforming ink and pre-decorating systems offer, at a minimum, cost savings and business-model advantages similar to those experienced by the portion of VUTEK’s traditional commercial graphics customer base that has converted from screen to digital printing. However, for some, the savings will be even greater with the elimination of extremely labour-intensive methods such as post-process hand airbrushing, and the ability to profitably print short runs and on-demand jobs.

Thermoforming signage decoration with fewer steps – Key EFI VUTEK GS Pro-TF ink attributes:

- Ability to image direct to substrate prior to forming eliminates screen printing set up costs or hand painting and vinyl lettering process steps.
- Superior elongation characteristics support deep-draw thermoforming while maintaining opacity on various plastics, including PETG, acrylic, polycarbonate, polystyrene and PVC.
- Inks are developed to withstand heat forming and cutting without cracking, chipping or loss of adhesion.
- Water and moisture resistance enable durable, lasting images.

Why EFI?

EFI™ (www.efi.com) helps businesses worldwide bring their visions and goals to life with a scalable, digital product portfolio. Our powerful servers; controllers; RIPs; inkjet printers, and precise colour and imaging solutions help companies increase their brand recognition and market reach on signs, buildings, bus wraps, graphic displays and more. Our business automation software helps companies work faster and more cost-effectively. Our office, enterprise and mobile cloud solutions help companies create, access, and communicate impactful information that can win them more business.



Electronics For Imaging UK Ltd
Manor Farm, High Street
Dronfield, Derbyshire S18 1PY
United Kingdom

+44 (0)1246 298000 tel
+44 (0)1246 412401 fax

www.efi.com

Auto-Count, BioVu, BioWare, ColorWise, Command WorkStation, Digital StoreFront, DocBuilder, DocBuilder Pro, DocStream, EDOX, the EFI logo, Electronics For Imaging, Fabrivu, Fiery, the Fiery logo, Inkware, Jetrion, MicroPress, OneFlow, PressVu, Printelect, PrinterSite, PrintFlow, PrintMe, PrintSmith Site, Prograph, RIP-While-Print, UltraVu and VUTEK are registered trademarks of Electronics For Imaging, Inc. in the U.S. and/or certain other countries. BESTColor is a registered trademark of Electronics For Imaging GmbH in the U.S. The APPS logo, AutoCal, Balance, ColorPASS, Dynamic Wedge, EFI, Estimate, Fast-4, Fiery Driven, the Fiery Driven logo, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, the Jetrion logo, Logic, Pace, Printcfe, the PrintMe logo, PrintSmith, Print to Win, PSI, PSI Flexo, Rastek, the Rastek logo, RIPChips, SendMe, Splash, Spot-On, UltraPress, UltraTex, UV Series 50, VisualCal, the VUTEK logo and WebTools are trademarks of Electronics For Imaging, Inc. in the U.S. and/or certain other countries. Best, the Best logo, Colorproof, PhotoXposure, Remoteproof, and Screenproof are trademarks of Electronics For Imaging GmbH in the U.S. and/or certain other countries. All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.

© 2013 Electronics For Imaging

U186.12.13_UK